NSN 5305-01-106-7516

Thread Class:

Thread Direction:

2a

Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-106-7516

Right-hand
Thread Length:
1.500 inches
Fastener Length:
Between 1.940 inches and 2.000 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.735 inches and 0.750 inches
Head Height:
Between 0.492 inches and 0.500 inches
Hole Diameter:
Between 0.061 inches and 0.067 inches
Internal Drive Style:
Hexagon
Thread Diameter:
0.500 inches
Width Across Flats:
0.375 inches
Hole Quantity:
6
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
13
Hole Configuration Style:
Round internal hexagon
Criticality Code Justification:
Zzzy
Material:
Stainless steel
Material Specification:
Aisi assn standard single material response
Surface Treatment:
Chromium threads
Special Test Features:
Special quality control testing
Surface Treatment Specification:
Qq-c-320 cl 2b federal specification single treatment response threads

NSN 5305-01-106-7516

Socket Head Cap Screw - Page 2 of 2



Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread	Series	Desi	iana	tor
	-0		. 9 ∽	

Unc

Reference Number Differentiating Characteristics:

Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications.

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0