NSN 5305-01-130-6554

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-130-6554

Thread Class:	
3a	
Thread Direction:	
Right-hand	
Thread Length:	
1.750 inches	
Fastener Length:	
Between 1.984 inches	and 2.031 inches
Head Style:	
Hexagon	
Head Height:	
Between 0.105 inches	and 0.120 inches
Nidth Between Flats	
Between 0.305 inches	and 0.314 inches
nternal Drive Style:	
Cross recess type 1	
Thread Diameter:	
0.190 inches	
Thready Qty Per Incl	(tpi):
32	
Min. Tensile Strengtl	(psi):
160000 pounds per so	uare inch
lardness Rating:	
Setween 36.0 rockwel	c and 40.0 rockwell c
Screw Material:	
Steel comp e4340 or s	teel comp 8740
Screw Material Spec	fication:
∕lil-s-5000 military spe	cification 1st material response or mil-s-6049 military specification 2nd material response or ams 6322 assn standard
nd material response	
Screw Surface Treat	nent:
Cadmium and chroma	ie
Screw Surface Treat	nent Specification:
Qq-p-416 type 2 class	2 federal specification single treatment response
Thread Series Desig	nator:
Jnjf	
Specification Data:	
80205-nas1801 profes	sional/industrial association standard
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

NSN 5305-01-130-6554

Machine Screw - Page 2 of 2

Fiig: A500d0

Mil-std (military Standard):

Mil-s-5000 spec.

