NSN 5305-01-132-2158

Machine Screw - Page 1 of 2

Thread Class:

3a

View Online at https://aerobasegroup.com/nsn/5305-01-132-2158



Thread Direction: Right-hand Thread Length: 1.750 inches **Fastener Length:** Between 3.046 inches and 3.093 inches **Head Style:** Hexagon **Head Height:** Between 0.105 inches and 0.120 inches Width Between Flats: Between 0.305 inches and 0.314 inches Hole Diameter: Between 0.046 inches and 0.056 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.190 inches **Hole Quantity:** 3 Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Screw Material:** Steel comp e4340 or steel comp 8740 **Screw Material Specification:** Mil-s-5000 military specification 1st material response or mil-s-6049 military specification 2nd material response or ams 6322 assn standard 2nd material response **Screw Surface Treatment:** Aluminum and chromate **Screw Surface Treatment Specification:** Mil-c-83488 type 2 class 3 military specification single treatment response Head Hole Configuration Style: Hexagon corners **Thread Series Designator:** Unjf Shelf Life:

N/a

Unit Of Measure:

NSN 5305-01-132-2158

Machine Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A500d0

Mil-std (military Standard):

Mil-s-5000 spec.

