NSN 5305-01-136-6109

Machine Screw - Page 1 of 2

Thread Class:

View Online at https://aerobasegroup.com/nsn/5305-01-136-6109



3a **Thread Direction: Right-hand Thread Length:** Between 0.858 inches and 0.937 inches Fastener Length: Between 0.922 inches and 0.969 inches **Head Style:** Hexagon **Head Height:** Between 0.156 inches and 0.171 inches Width Between Flats: Between 0.429 inches and 0.439 inches Hole Diameter: Between 0.060 inches and 0.080 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.312 inches **Hole Quantity:** 3 Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 160000 pounds per square inch **Screw Material:** Iron alloy 660 **Screw Material Specification:** Ams 5731 assn standard single material response or ams 5737 assn standard single material response **Screw Surface Treatment:** Passivate **Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response Head Hole Configuration Style: Hexagon corners **Thread Series Designator:** Unjf **Specification Data:** 80205-nas1802 professional/industrial association standard Shelf Life:

N/a

NSN 5305-01-136-6109

Machine Screw - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A500d0

