NSN 5305-01-155-5440

Hexagon Head Cap Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-155-5440

Thread Direction:
Right-hand
Thread Length:
Between 21.0 millimeters and 25.0 millimeters
Fastener Length:
25.00 millimeters
Head Style:
Hexagon
Head Height:
Between 7.32 millimeters and 7.68 millimeters
Width Between Flats:
Between 18.67 millimeters and 19.00 millimeters
Thread Diameter:
12.0 millimeters
Min. Tensile Strength (psi):
113784 pounds per square inch
Hardness Rating:
18.0 rockwell c and 31.0 rockwell c
Three of Ditability Million (come)
Thread Pitch In Millimeters:
2.0
2.0
2.0 Material:
2.0 Material: Steel property class 8.8
2.0 Material: Steel property class 8.8 Surface Treatment:
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator:
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M Shelf Life:
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M Shelf Life: N/a
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M Shelf Life: N/a
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M Shelf Life: N/a Unit Of Measure:
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M Shelf Life: N/a Unit Of Measure: Demilitarization:
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M Shelf Life: N/a Unit Of Measure: Demilitarization: No
2.0 Material: Steel property class 8.8 Surface Treatment: Zinc Thread Series Designator: M Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: