NSN 5305-01-161-4705

Panel Screw Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-161-4705

Thread	Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.250 inches

Fastener Length:

Between 0.806 inches and 0.846 inches

Head Style:

Hexagon

Head Height:

Between 0.185 inches and 0.190 inches

Width Between Flats:

Between 0.305 inches and 0.312 inches

Internal Drive Style:

Slot

Material Accommodated Thickness:

Between 0.063 inches and 0.125 inches

Thread Diameter:

0.190 inches

Thready Qty Per Inch (tpi):

32

Min. Tensile Strength (psi):

160000 pounds per square inch

Material:

Iron alloy 660 fastener

Material Specification:

Qq-w-423 cond b federal specification single material response spring

Surface Treatment:

Passivate spring

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response spring

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

NSN 5305-01-161-4705

Panel Screw Assembly - Page 2 of 2

Mil-std (military Standard):

Mil-s-5059 spec.

