NSN 5305-01-183-8733



Close Tolerance Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-183-8733 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.476 inches and 0.526 inches **Fastener Length:** Between 1.236 inches and 1.266 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.5780 inches and 0.6335 inches **Grip Diameter:** Between 0.3115 inches and 0.3120 inches **Internal Drive Style:**

Offset cruciform (torque set) **Thread Diameter:**

0.3125 inches **Grip Length:**

Between 0.740 inches and 0.760 inches

Thready Qty Per Inch (tpi):

24

Min. Tensile Strength (psi):

160000 pounds per square inch

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Surface Finish:

32.0 microinches threads

Special Features:

Internal drive ribbed

Material:

Titanium alloy

Material Specification:

Ams 4967, comp 6al-4v assn standard single material response

Thread Series Designator:

Unjf

Specification Data:

80205-nas1580 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

NSN 5305-01-183-8733

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0