NSN 5305-01-188-7592

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-188-7592

Thread Class:
3a Thread Direction:
Right-hand
Thread Length: Between 0.400 inches and 0.450 inches
Fastener Length: Between 0.910 inches and 0.940 inches
Head Style:
Oval countersunk
Head Diameter:
0.3948 inches
Grip Diameter:
Between 0.2485 inches and 0.2495 inches
nternal Drive Style:
Offset cruciform (torque set)
Thread Diameter:
0.250 inches
Grip Length:
Between 0.490 inches and 0.510 inches
Thready Qty Per Inch (tpi):
28
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Surface Finish:
32.0 microinches threads
Special Features:
nternal drive ribbed
Material:
ron alloy 660
Material Specification:
Ams 5731 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard sing
material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
<u>.</u>

NSN 5305-01-188-7592

Close Tolerance Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

