NSN 5305-01-191-6270

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-191-6270 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.312 inches **Fastener Length:** Between 0.897 inches and 0.927 inches **Head Style:** Flat countersunk undercut **Head Diameter:** 0.531 inches **Head Height:** Between 0.057 inches and 0.059 inches **Internal Drive Style:** Slot **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch **Countersink Angle:** 100.0 degrees **Product Name:** Navy special project **Screw Material:** Steel **Screw Surface Treatment:** Chromate and cadmium **Screw Surface Treatment Specification:** Qq-p-416 type 2 class 2 federal specification single treatment response **Special Features:** Fconcentric hole in head 0.1596 in. Min, 0.1675 in. Maximum dia; 0.190 in. Thd dia, 32 threads per in. Jf, class 3b; countersunk 90 degrees, 0.156 in. Min 0.187 in maximum dia; 0.435 in. Min, 0.600 in. Maximum length **Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-191-6270 Machine Screw - Page 2 of 2



Fiig:

A500d0