## NSN 5305-01-192-9298

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-192-9298 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.380 inches and 0.447 inches **Fastener Length:** Between 1.140 inches and 1.187 inches **Head Style:** Flat countersunk undercut **Head Diameter:** Between 0.3765 inches and 0.3813 inches **Head Height:** Between 0.0439 inches and 0.0459 inches **Grip Diameter:** Between 0.1890 inches and 0.1895 inches **Internal Drive Style:** High-torque **Thread Diameter:** 0.190 inches **Grip Length:** Between 0.740 inches and 0.760 inches Thready Qty Per Inch (tpi): 32 **Countersink Angle:** 100.0 degrees **Surface Finish:** 32.0 microinches threads **Special Features:** Cetyl alcohol lubrication, furnished with o ring Material: Titanium alloy **Material Specification:** Ams 4967, comp 6al-4v assn standard single material response **Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 5305-01-192-9298

Close Tolerance Screw - Page 2 of 2



Fiig:

A003b0