## NSN 5305-01-193-0154

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-193-0154 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.559 inches and 0.619 inches **Fastener Length:** Between 0.954 inches and 0.984 inches **Head Style:** Pan no. 2 **Head Diameter:** Between 0.722 inches and 0.740 inches **Head Height:** Between 0.206 inches and 0.220 inches **Grip Diameter:** Between 0.3740 inches and 0.3745 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.375 inches **Grip Length:** Between 0.365 inches and 0.385 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 160000 pounds per square inch **Surface Finish:** 32.0 microinches threads **Product Name:** Navy special project Material: Titanium alloy **Material Specification:** Ams 4967 6al-4v assn standard single material response **Thread Series Designator:** Unjf **Specification Data:** 80205-nas1580 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:** 

--

## NSN 5305-01-193-0154

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0