NSN 5305-01-197-5301

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-197-5301

Cimile at imper/actional group continuing a continuing conti
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.937 inches and 0.940 inches
Fastener Length:
Between 0.937 inches and 0.940 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.221 inches and 0.226 inches
Head Height:
Between 0.074 inches and 0.086 inches
Hole Diameter:
Between 0.034 inches and 0.042 inches
Internal Drive Style:
Tri-wing recess
Thread Diameter:
0.1380 inches
Hole Quantity:
1
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
Between 36.0 rockwell c and 40.0 rockwell c
Screw Material:
Steel comp e4340 or steel comp 4340 or steel comp 8740
Screw Surface Treatment:
Cadmium
Screw Surface Treatment Specification:
Qq-p-416 ty ii cl 2 federal specification single treatment response
Head Hole Configuration Style:
Round chord
Thread Series Designator:
Unjc
Specification Data:
80205-nas5301 professional/industrial association standard
Shelf Life:

N/a

NSN 5305-01-197-5301

Machine Screw - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A500d0