NSN 5305-01-201-9018

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-201-9018 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.222 inches and 0.315 inches **Fastener Length:** Between 0.344 inches and 0.375 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.238 inches and 0.279 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 80000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Screw Material:** Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316 **Screw Material Specification:** 66 federal standard all material responses **Head Surface Treatment:** Paint **Screw Surface Treatment: Passivate Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Special Features:** Head painted color gray per federal standard 595 no. 36231 **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-201-9018 Machine Screw - Page 2 of 2



Fiig:

A500d0