## NSN 5305-01-209-6483

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-209-6483 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.408 inches and 0.468 inches **Fastener Length:** Between 0.408 inches and 0.468 inches **Head Style:** Pan **Head Diameter:** Between 0.282 inches and 0.294 inches **Head Height:** Between 0.092 inches and 0.097 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.138 inches **Features Provided:** O ring Thready Qty Per Inch (tpi): 32 **Screw Material:** Steel comp 302 or steel comp 304 or steel comp 305 **Screw Material Specification:** Qq-s-763 federal specification all material responses **Screw Surface Treatment:** Oxide film **Screw Surface Treatment Specification:** Mil-c-13924, cl2 military specification single treatment response **Thread Series Designator:** Unc **Specification Data:** 96214-535459 manufacturers specification control Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

Fiig:

A500d0

## NSN 5305-01-209-6483

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-13924 spec.