NSN 5305-01-214-5056

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-214-5056

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.380 inches and 0.447 inches
Fastener Length:
Between 0.578 inches and 0.625 inches
Head Style:
Flat countersunk undercut
Head Diameter:
Between 0.377 inches and 0.381 inches
Head Height:
Between 0.032 inches and 0.034 inches
Shoulder Diameter:
0.2177 inches and 0.2182 inches first shoulder
Shoulder Length:
0.144 inches and 0.166 inches first shoulder
Internal Drive Style:
High-torque
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
32
Countersink Angle:
100.0 degrees
Shoulder Shape:
Round first shoulder
Special Features:
Furnished with one o-ring
Material:
Titanium alloy
Material Specification:
Ams 4967, comp 6al-4v assn standard single material response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Al-

No

NSN 5305-01-214-5056

Shoulder Screw - Page 2 of 2



Fiig:

A003b0