NSN 5305-01-226-0796

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-226-0796 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.090 inches **Fastener Length:** 0.125 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.105 inches and 0.119 inches **Internal Drive Style:** Cross recess type ii **Thread Diameter:** 0.060 inches Thready Qty Per Inch (tpi): 80 **Countersink Angle:** Between 80.0 degrees and 82.0 degrees **Screw Material:** Steel comp 301 or steel comp 430 **Screw Material Specification:** 66 federal standard all material responses **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-c-13924, class 4 military specification single treatment response **Supplementary Features:** Arinc-king pt list 006-8024-05 **Thread Series Designator:** Unf **Specification Data:** 81348-ff-s-92 government specification and 80204-ansi b18.6.3 professional/industrial association standard **Specification Or Standard:** 3 type and 2c style and 0.80 size and 1/8in. Length Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-226-0796

Machine Screw - Page 2 of 2



Fiig:

A500d0

Mil-std (military Standard):

Mil-c-13924 spec.