NSN 5305-01-229-8012

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-229-8012

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.342 inches and 0.392 inches
Fastener Length:
Between 0.737 inches and 0.777 inches
Head Style:
Pan
Head Diameter:
Between 0.361 inches and 0.385 inches
Head Height:
Between 0.103 inches and 0.118 inches
Shoulder Diameter:
0.246 inches and 0.249 inches first shoulder
Shoulder Length:
0.385 inches and 0.395 inches first shoulder
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
125000 pounds per square inch
Shoulder Shape:
Round first shoulder
Material:
Steel
Material Specification:
Mil-s-7839 military specification single material response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 type 2 class 2 federal specification single treatment response
Thread Series Designator:
Unjc
Specification Data:
80205-nas1298 professional/industrial association standard
Shelf Life:
N/a

NSN 5305-01-229-8012

Shoulder Screw - Page 2 of 2



U	n	it	Of	Μe	eas	ur	e:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-7839 spec.