NSN 5305-01-234-6357

Close Tolerance Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-234-6357



Thread Class: 3a **Thread Direction: Right-hand Thread Length:** Between 0.569 inches and 0.619 inches Fastener Length: Between 1.141 inches and 1.171 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.717 inches and 0.760 inches Locking Feature: Patch threads **Grip Diameter:** Between 0.3735 inches and 0.3745 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.375 inches Grip Length: Between 0.552 inches and 0.572 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 36.0 rockwell c and 40.0 rockwell c **Countersink Angle:** Between 99.0 degrees and 101.0 degrees Surface Finish: 32.0 microinches threads **Product Name:** Navy special project **Special Features:** Internal drive ribbed Material: Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150 Surface Treatment: Cadmium and chromate Surface Treatment Specification:

Qq-p-416, ty2, cl2 federal specification single treatment response

NSN 5305-01-234-6357

Close Tolerance Screw - Page 2 of 2

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

