NSN 5305-01-240-7396

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-240-7396

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.443 inches and 0.493 inches
Fastener Length:
Between 1.641 inches and 1.671 inches
Head Style:
Flat countersunk undercut
Head Diameter:
Between 0.501 inches and 0.507 inches
Head Height:
Between 0.071 inches and 0.073 inches
Grip Diameter:
Between 0.2485 inches and 0.2495 inches
Internal Drive Style:
High-torque
Thread Diameter:
0.250 inches
Grip Length:
Between 1.178 inches and 1.198 inches
Thready Qty Per Inch (tpi):
28
Countersink Angle:
100.0 degrees
Surface Finish:
32.0 microinches threads
Product Name:
Navy special project
Special Features:
Furnished with rubber o-ring
Material:
Steel comp xm-13
Material Specification:
Ams 5629 assn standard single material response
Surface Treatment:
Aluminum and chromate
Surface Treatment Specification:
Mil-c-83488 type 2 cl 3 military specification single treatment response
Thread Series Designator:

Thread Series Designator:

NSN 5305-01-240-7396

Close Tolerance Screw - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-c-83488 spec.

