NSN 5305-01-260-0834

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-260-0834 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.323 inches **Fastener Length:** Between 0.370 inches and 0.400 inches **Head Style:** Pan no. 2 **Head Diameter:** Between 0.306 inches and 0.322 inches **Head Height:** Between 0.088 inches and 0.102 inches **Grip Diameter:** Between 0.1630 inches and 0.1635 inches Single Shear Strength: 95000 pounds per square inch **Internal Drive Style:** Tri-wing recess **Thread Diameter:** 0.164 inches **Grip Length:** Between 0.052 inches and 0.072 inches Thready Qty Per Inch (tpi): 32 Material: Iron alloy 660 **Material Specification:** Ams5731 assn standard single material response or ams5737 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Nas4003 assn standard single treatment response **Thread Series Designator:** Unjc **Specification Data:** 80205-nas5102 professional/industrial association standard Shelf Life: N/a

Unit Of Measure:

NSN 5305-01-260-0834

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0