

View Online at <https://aerobasegroup.com/nsn/5305-01-260-9826>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

Between 0.313 inches and 0.375 inches

Fastener Length:

Between 0.720 inches and 0.750 inches

Head Style:

Fillister

Head Diameter:

Between 0.389 inches and 0.414 inches

Head Height:

Between 0.161 inches and 0.170 inches

Hole Diameter:

0.062 inches

Point Length:

Between 0.345 inches and 0.375 inches

Point Diameter:

Between 0.120 inches and 0.125 inches

Point Style:

Flat

Internal Drive Style:

Slot

Thread Diameter:

0.250 inches

Hole Quantity:

1

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

28

Min. Tensile Strength (psi):

60000 pounds per square inch

Hole Configuration Style:

Round

Criticality Code Justification:

Feat

Point Chamfer Angle:

30.0 degrees

Special Features:

Item is f-16 landing gear specific

Material:

Steel comp 4140 or steel

Material Specification:

Mil-s-5626 military specification 1st material response or 66 federal standard 2nd material response

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2 class 2 federal specification single treatment response

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.