
NSN 5305-01-263-8147

Socket Head Cap Screw - Page 1 of 2





Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 1.127 inches and 1.250 inches
Fastener Length:
Between 1.210 inches and 1.250 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.550 inches and 0.562 inches
Head Height:
Between 0.368 inches and 0.375 inches
Internal Drive Style:
Hexagon
Thread Diameter:
0.375 inches
Width Across Flats:
0.312 inches
Thready Qty Per Inch (tpi):
Min. Tensile Strength (psi):
180000 pounds per square inch
Hardness Rating:
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength:
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name:
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material:
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification:
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification: Astm a574 assn standard single material response
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification:
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification: Astm a574 assn standard single material response Thread Series Designator: Unf
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification: Astm a574 assn standard single material response Thread Series Designator:
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification: Astm a574 assn standard single material response Thread Series Designator: Unf
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification: Astm a574 assn standard single material response Thread Series Designator: Unf Specification Or Standard:
Hardness Rating:39.0 rockwell c and 45.0 rockwell cMinimum Yield Strength:155000 pounds per square inchProduct Name:Screw, cap, socket headMaterial:Steel comp 4340Material Specification:Astm a574 assn standard single material responseThread Series Designator:UnfSpecification Or Standard:2 type
Hardness Rating: 39.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 155000 pounds per square inch Product Name: Screw, cap, socket head Material: Steel comp 4340 Material Specification: Astm a574 assn standard single material response Thread Series Designator: Unf Specification Or Standard: 2 type Shelf Life:

NSN 5305-01-263-8147

Socket Head Cap Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-1222 spec.