NSN 5305-01-268-1205

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-268-1205

Thread Class:	
3a	
Thread Direction:	
Right-hand	
Thread Length:	
Between 0.337 inches and 0.387 inches	
Fastener Length:	
Between 0.472 inches and 0.502 inches	
Head Style:	
Pan no. 2	
Head Diameter:	
Between 0.360 inches and 0.374 inches	
Head Height:	
Between 0.115 inches and 0.125 inches	
Grip Diameter:	
Between 0.1885 inches and 0.1895 inches	
Internal Drive Style:	
Offset cruciform (torque set)	
Thread Diameter:	
0.190 inches	
Grip Length:	
Between 0.115 inches and 0.135 inches	
Thready Qty Per Inch (tpi):	
32	
Min. Tensile Strength (psi):	
160000 pounds per square inch	
Surface Finish:	
63.0 microinches bearing surface of head	
Material:	
Iron alloy 660	
Material Specification:	
Ams5731 assn standard single material response or ams5732 assn standard single material response or ams5737 assn sta	andard single
material response	
Surface Treatment:	
Cadmium and chromate	
Surface Treatment Specification:	
Qq-p-416 ty2 cl2 federal specification single treatment response	
Thread Series Designator:	
Unjf	
Specification Data:	
80205-nas1578 professional/industrial association standard	
Shelf Life:	

N/a

NSN 5305-01-268-1205

Close Tolerance Screw - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

