## NSN 5305-01-276-1607

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-276-1607 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 1.878 inches and 2.000 inches **Fastener Length:** Between 1.940 inches and 2.000 inches **Head Style:** Pan **Head Diameter:** Between 0.256 inches and 0.270 inches **Head Height:** Between 0.087 inches and 0.097 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 62000 pounds per square inch **Screw Material:** Aluminum alloy 2024 **Screw Material Specification:** Qq-a-200/1 federal specification single material response or qq-a-225/6 federal specification single material response **Screw Surface Treatment:** Anodize **Screw Surface Treatment Specification:** Mil-a-8625 type 1 military specification single treatment response or mil-a-8625 type 2 cl 1 military specification single treatment response **Thread Series Designator:** Unc **Specification Or Standard:** 3 type or 9c style Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

Fiig:

A500d0

## NSN 5305-01-276-1607

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.