## NSN 5305-01-284-5755

Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-284-5755

Thread Class:
2a
Thread Direction:
Right-hand Thread Longth:
Thread Length:  Between 0.170 inches and 0.250 inches
Fastener Length:  Between 0.220 inches and 0.250 inches
Head Style: Flat chamfer
Head Diameter:
Between 0.176 inches and 0.183 inches
Head Height:
Between 0.108 inches and 0.112 inches  Hole Diameter:
0.036 inches
Internal Drive Style:
Hexagon Thread Biometers
Thread Diameter:
0.112 inches
Width Across Flats:
0.093 inches
Hole Quantity:
2
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
40
Min. Tensile Strength (psi):
80000 pounds per square inch
Hardness Rating:
80.0 rockwell b
Minimum Yield Strength:
30000 pounds per square inch
Hole Configuration Style:
Round internal hexagon
Material:
Steel comp 302 or steel comp 304 or steel comp 305 or steel comp 316 or steel comp 384 or steel comp xm-7
Surface Treatment:
Passivate
Surface Treatment Specification:

ourrace readment opecinication.

Qq-p-35 federal specification single treatment response

## NSN 5305-01-284-5755

Socket Head Cap Screw - Page 2 of 2



Fiig: A003b0