NSN 5305-01-298-3198

Hexagon Head Cap Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-298-3198

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 3.250 inches and 3.457 inches
Fastener Length:
Between 5.812 inches and 6.000 inches
Head Style:
Hexagon
Head Height:
0.902 inches
Width Between Flats:
Between 2.175 inches and 2.250 inches
Thread Diameter:
1.500 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
12
Min. Tensile Strength (psi):
Min. Tensile Strength (psi): 150000 pounds per square inch
150000 pounds per square inch
150000 pounds per square inch Material:
150000 pounds per square inch Material: Steel
150000 pounds per square inch Material: Steel Material Specification:
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment:
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification:
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response Thread Series Designator:
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response Thread Series Designator: Unf
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response Thread Series Designator: Unf Shelf Life:
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response Thread Series Designator: Unf Shelf Life: N/a
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure:
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure:
150000 pounds per square inch Material: Steel Material Specification: Sae j429 gr 8 assn standard single material response Surface Treatment: Zinc and chromate Surface Treatment Specification: Astm b633 type 2 cl 2 assn standard single treatment response Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: