

View Online at <https://aerobasegroup.com/nsn/5305-01-299-9525>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.235 inches and 0.327 inches

Fastener Length:

Between 0.297 inches and 0.327 inches

Head Style:

Pan no. 2

Head Diameter:

Between 0.360 inches and 0.374 inches

Head Height:

Between 0.115 inches and 0.125 inches

Hole Diameter:

Between 0.060 inches and 0.068 inches

Internal Drive Style:

High-torque

Thread Diameter:

0.190 inches

Hole Quantity:

1

Thready Qty Per Inch (tpi):

32

Min. Tensile Strength (psi):

160000 pounds per square inch

Screw Material:

Iron alloy 660

Screw Material Specification:

Ams 5731 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard single material response

Screw Surface Treatment:

Passivate

Screw Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Head Hole Configuration Style:

Round

Bearing Surface Of Head Surface Finish:

32.0 microinches

Thread Surface Finish:

32.0 microinches

Special Features:

Hole type drilled

Thread Series Designator:

Unjf

Specification Data:

80205-nas1216 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0