## NSN 5305-01-300-6266

Hexagon Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-300-6266 **Thread Direction:** Right-hand Thread Length: Between 17.6 millimeters and 20.4 millimeters **Fastener Length:** Between 19.60 millimeters and 20.40 millimeters **Head Style:** Hexagon **Head Height:** Between 3.85 millimeters and 4.15 millimeters Width Between Flats: Between 9.78 millimeters and 10.00 millimeters **End Application:** Rg-31 mrap & rcv **Thread Diameter:** 6.0 millimeters Min. Tensile Strength (psi): 1040 megapascals Hardness Rating: 33.0 rockwell c and 39.0 rockwell c Minimum Yield Strength: 940 megapascals **Thread Pitch In Millimeters:** 1.0 **External Thread Tolerance Class:** 6g Material: Steel property class 10.9 **Material Specification:** Ansi b18.2.3.1m, property cl 10.9 assn standard single material response **Surface Treatment:** Zinc and chromate **Surface Treatment Specification:** Qq-z-325, type 2, cl 3 federal specification single treatment response **Thread Series Designator:** 

## NSN 5305-01-300-6266

Hexagon Head Cap Screw - Page 2 of 2



Fiig:

A003b0