NSN 5305-01-305-1036

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-305-1036

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 0.381 inches and 0.447 inches
Fastener Length:
Between 1.141 inches and 1.187 inches
Head Style:
Pan
Head Diameter:
Between 0.357 inches and 0.373 inches
Head Height:
Between 0.122 inches and 0.133 inches
Locking Feature:
Patch or pellet or strip
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
75000 pounds per square inch
Hardness Rating:
Between 26.0 rockwell c and 32.0 rockwell c
Screw Material:
Steel comp 8740 or steel comp 8630 or steel comp 8735 or steel comp 4130 or steel comp 4037
Locking Feature Material:
Plastic polyamide
Screw Surface Treatment:
Cadmium and chromate
Screw Surface Treatment Specification:
Qq-p-416 type 2, cl 3 federal specification single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 5305-01-305-1036

Machine Screw - Page 2 of 2



Fiig:

A500d0