NSN 5305-01-313-9328

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-313-9328

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 0.168 inches and 0.228 inches
Fastener Length:
Between 0.313 inches and 0.343 inches
Head Style:
Flat countersunk
Head Diameter:
0.166 inches
Shoulder Diameter:
0.115 inches first shoulder and 0.116 inches first shoulder
Shoulder Length:
0.088 inches first shoulder and 0.145 inches first shoulder
Internal Drive Style:
Slot
Thread Diameter:
0.112 inches
Thready Qty Per Inch (tpi):
40
Min. Tensile Strength (psi):
150000 pounds per square inch
Hardness Rating:
33.0 rockwell c and 37.0 rockwell c
Countersink Angle:
100.0 degrees
Shoulder Shape:
Round first shoulder
Product Name:
Navy special project
Color:
Yellow top of head
Material:
Steel comp 4037 or steel comp 8740
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 type 2 cl 2 federal specification single treatment response
Thread Series Designator:
Unc

NSN 5305-01-313-9328

Shoulder Screw - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0