## NSN 5305-01-314-2395

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-314-2395 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.195 inches and 0.257 inches **Fastener Length:** Between 0.390 inches and 0.422 inches **Head Style:** Flat countersunk **Head Diameter:** 0.223 inches **Shoulder Diameter:** 0.141 inches first shoulder and 0.142 inches first shoulder **Shoulder Length:** 0.390 inches first shoulder and 0.422 inches first shoulder **Internal Drive Style:** Slot **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 **Hardness Rating:** 33.0 rockwell c and 37.0 rockwell c **Countersink Angle:** 100.0 degrees **Shoulder Shape:** Round first shoulder Material: Steel comp 4037 or steel comp 8740 **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416 type 2, cl 2 federal specification single treatment response **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5305-01-314-2395

Shoulder Screw - Page 2 of 2



Fiig:

A003b0