NSN 5305-01-314-2397

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-314-2397 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.633 inches **Fastener Length:** Between 1.617 inches and 1.664 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.951 inches and 1.014 inches **Grip Diameter:** Between 0.4985 inches and 0.4995 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.500 inches **Grip Length:** 1.000 inches Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 156000 pounds per square inch Hardness Rating: 51.0 rockwell c and 54.0 rockwell c **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Surface Finish:** 32.0 microinches threads Material: Steel comp h11 **Material Specification:** Ams 6487 assn standard single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Mil-c-8837 type 2 cl 2 military specification single treatment response **Thread Series Designator:** Unjf

Shelf Life:

N/a

NSN 5305-01-314-2397

Close Tolerance Screw - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-c-8837 spec.