NSN 5305-01-317-0435

Panel Screw Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-317-0435 **Thread Class:** За **Thread Direction:** Right-hand Fastener Length: 0.840 inches **Head Style:** Knurled no. 1 **Head Diameter:** 0.531 inches **Head Height:** 0.530 inches **Internal Drive Style:** Slot **Material Accommodated Thickness:** Between 0.155 inches and 0.217 inches **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 140000 pounds per square inch Material: Steel comp 304 stand-off **Material Specification:** Qq-s-763 federal specification single material response stand-off **Surface Treatment: Passivate Special Test Features:** Special quality control testing **Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Test Data Document:** 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-317-0435

Panel Screw Assembly - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5059 spec.