## NSN 5305-01-325-5731

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-325-5731 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.206 inches **Fastener Length:** Between 1.516 inches and 1.546 inches **Head Style:** Oval countersunk **Head Diameter:** Between 0.2996 inches and 0.3016 inches **Grip Diameter:** Between 0.1885 inches and 0.1895 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.190 inches **Grip Length:** Between 1.115 inches and 1.135 inches **Features Provided:** Cetyl alcohol lubricant Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 125000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Special Features:** Cetyl alcohol per mil-l-87132 type 1, gr b Material: Nickel alloy 718 **Surface Treatment:** Aluminum Mil-c-83488 military specification single treatment response

**Surface Treatment Specification: Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:** 

## NSN 5305-01-325-5731

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-c-83488 spec.