NSN 5305-01-326-3789

Machine Screw - Page 1 of 2

Thread Class:

За



View Online at https://aerobasegroup.com/nsn/5305-01-326-3789

Thread Direction:
Right-hand
Thread Length:
Between 0.376 inches and 0.438 inches
Fastener Length:
0.438 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.262 inches and 0.267 inches
Head Height:
Between 0.159 inches and 0.164 inches
Width Between Flats:
Between 0.140 inches and 0.142 inches
Locking Feature:
Patch
Internal Drive Style:
Err-090
Thread Diameter:
0.164 inches
Width Across Flats:
Between 0.140 inches and 0.142 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
80000 pounds per square inch
Hardness Rating:
80.0 rockwell c
Screw Material:
Stainless steel
Locking Feature Material:
Plastic polyamide
Screw Surface Treatment:
Passivate
Screw Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:
Unrc
Specification Data:
80205-nas1352 professional/industrial association standard

NSN 5305-01-326-3789

Machine Screw - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0