NSN 5305-01-326-6091

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-326-6091

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.095 inches and 0.188 inches
Fastener Length:
Between 0.157 inches and 0.188 inches
Head Style:
Pan
Head Diameter:
Between 0.306 inches and 0.313 inches
Head Height:
Between 0.103 inches and 0.118 inches
Locking Feature:
Strip
Internal Drive Style:
Torque set
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Screw Material:
Iron alloy 660
Locking Feature Material:
Plastic polyamide
Screw Material Specification:
Ams 5737 assn standard single material response
Screw Surface Treatment:
Cadmium and chromate
Screw Surface Treatment Specification:
Qq-p-416, ty2 cl2 federal specification single treatment response
Bearing Surface Of Head Surface Finish:
32.0 microinches
Thread Surface Finish:
32.0 microinches
Thread Series Designator:
Unjf
Specification Data:
80205-nas1191 professional/industrial association standard

NSN 5305-01-326-6091

Machine Screw - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0