NSN 5305-01-331-0028



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-331-0028 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.288 inches and 0.380 inches **Fastener Length:** Between 0.350 inches and 0.380 inches **Head Style:** Hexagon **Head Height:** Between 0.080 inches and 0.083 inches Width Between Flats: Between 0.243 inches and 0.251 inches **Internal Drive Style:** Tri-wing recess **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Screw Material:** Iron alloy 660 **Screw Material Specification:** Ams 5731 assn standard single material response or ams 5737 assn standard single material response **Bearing Surface Of Head Surface Finish:** 63.0 microinches **Shank Surface Finish:** 32.0 microinches **Thread Surface Finish:** 32.0 microinches **Thread Series Designator:** Unjc **Specification Data:** 80205-nas6001 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-331-0028 Machine Screw - Page 2 of 2



Fiig:

A500d0