NSN 5305-01-331-7929

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-331-7929

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.358 inches
Fastener Length:
Between 0.469 inches and 0.500 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.371 inches and 0.385 inches
Locking Feature:
Pellet
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Screw Material:
Steel
Locking Feature Material:
Plastic polyamide
Screw Surface Treatment:
Cadmium and chromate
Screw Surface Treatment Specification:
Qq-p-416, type 2 cl 2 federal specification single treatment response
Bearing Surface Of Head Surface Finish:
32.0 microinches
Shank Surface Finish:
32.0 microinches
Thread Surface Finish:
32.0 microinches
Thread Series Designator:
Unjf

Specification Data:

80205-nas1189 professional/industrial association standard

NSN 5305-01-331-7929

Machine Screw - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0