NSN 5305-01-331-8609

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-331-8609 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.316 inches **Fastener Length:** Between 0.676 inches and 0.706 inches **Head Style:** Fillister **Head Diameter:** Between 0.365 inches and 0.375 inches **Head Height:** Between 0.133 inches and 0.150 inches **Grip Diameter:** Between 0.2481 inches and 0.2487 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.250 inches **Grip Length:** Between 0.365 inches and 0.385 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch Material: Iron alloy 660 **Material Specification:** Ams5737 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:**

Specification Data:

80205-nas1124 professional/industrial association standard

Shelf Life:

N/a

Unjf

Unit Of Measure:

NSN 5305-01-331-8609

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0