NSN 5305-01-337-5458

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-337-5458

Thread Class:	
3a	
Thread Direction:	
Right-hand	
Thread Length:	
0.469 inches	
Fastener Length:	
	nes and 0.922 inches
Head Style:	
Flat countersunk	
Head Diameter:	
Between 0.456 incl	nes and 0.508 inches
Grip Diameter:	
Between 0.2490 in	shes and 0.2495 inches
Internal Drive Styl	e:
High-torque	
Thread Diameter:	
0.250 inches	
Grip Length:	
Between 0.428 incl	nes and 0.448 inches
Thready Qty Per I	nch (tpi):
28	
Countersink Angl	e:
Between 99.0 degr	ees and 101.0 degrees
Surface Finish:	
32.0 microinches b	earing surface of head32.0 microinches grip32.0 microinches threads
Product Name:	
Navy special project	t
Special Features:	
Tapped hole in hea	d 0.138-32 unjc-3b threads. Distance from top of head to injection port 0.190 nom. Inch. Injection port 0.120 nom. In. L
0.060 nom. In. Wid	9
Material:	
Titanium alloy uns	56400
Material Specifica	tion:
Ams 4928 assn sta	ndard single material response or ams 4967 assn standard single material response
Surface Treatmen	
Phosphate	
Thread Series Des	ignator:
Unjf	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 5305-01-337-5458

Close Tolerance Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

