## NSN 5305-01-337-5471

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-337-5471 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.840 inches **Fastener Length:** Between 2.025 inches and 2.055 inches **Head Style:** Flat countersunk **Head Diameter:** Between 1.071 inches and 1.146 inches **Grip Diameter:** Between 0.5610 inches and 0.5615 inches **Internal Drive Style:** High-torque **Thread Diameter:** 0.562 inches **Grip Length:** Between 1.490 inches and 1.510 inches **Features Provided:** Cetyl alcohol lubricant Thready Qty Per Inch (tpi): 18 **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Surface Finish:** 63.0 microinches bearing surface of head32.0 microinches grip32.0 microinches threads **Product Name:** Navy special project **Special Features:** Red dye or paint on thread end before lubrication Material: Titanium alloy uns r56400 **Material Specification:** Ams 4928 assn standard single material response or ams 4967 assn standard single material response **Surface Treatment:** Phosphate **Surface Treatment Specification:** 

Unjf

**Thread Series Designator:** 

Bac 5861, cage81205 mfr ref single treatment response

## NSN 5305-01-337-5471

Close Tolerance Screw - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0