NSN 5305-01-337-6203

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-337-6203

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.141 inches
Fastener Length:
0.188 inches
Head Style:
Flat countersunk
Head Diameter:
0.080 inches
Locking Feature:
Patch or pellet or strip
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Product Name:
Navy special project
Screw Material:
Titanium alloy uns r56400
Screw Material Specification:
Ams 4928 assn standard single material response or ams 4967 assn standard single material response
Screw Surface Treatment:
Aluminum
Bearing Surface Of Head Surface Finish:
32.0 microinches
Shank Surface Finish:
32.0 microinches
Thread Surface Finish:
32.0 microinches
Thread Series Designator:
Unif
Specification Data:
80205-nas1189 professional/industrial association standard

NSN 5305-01-337-6203

Machine Screw - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0