

View Online at <https://aerobasegroup.com/nsn/5305-01-337-6977>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 0.090 inches and 0.096 inches

**Fastener Length:**

Between 0.433 inches and 0.439 inches

**Head Style:**

Flat chamfer

**Head Diameter:**

Between 0.122 inches and 0.125 inches

**Head Height:**

Between 0.032 inches and 0.038 inches

**Shoulder Diameter:**

0.0925 inches first shoulder and 0.0933 inches first shoulder

**Shoulder Length:**

0.317 inches first shoulder and 0.334 inches first shoulder

**Internal Drive Style:**

Slot

**Thread Diameter:**

0.086 inches

**Thready Qty Per Inch (tpi):**

64

**Shoulder Shape:**

Round first shoulder

**Special Features:**

Undercut 0.028 in. Min, 0.034 in. Maximum lg; 0.069 in. Min, 0.075 in. Maximum diameter beneath bearing surface of head

**Material:**

Steel comp 302

**Material Specification:**

Astm a582 assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A003b0