NSN 5305-01-338-0918

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-338-0918 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.276 inches and 0.338 inches **Fastener Length:** Between 0.448 inches and 0.478 inches **Head Style:** Flat countersunk **Head Diameter:** 0.083 inches **Grip Diameter:** Between 0.1885 inches and 0.1895 inches **Internal Drive Style:** High-torque **Thread Diameter:** 0.190 inches **Grip Length:** Between 0.115 inches and 0.135 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Navy special project Material: Iron alloy 660 **Material Specification:** Ams5731 assn standard single material response or ams 5732 assn standard single material response or ams5737 assn standard single material response **Surface Treatment:** Aluminum **Thread Series Designator:** Unjf **Specification Data:** 80205-nas1790 professional/industrial association standard

--

N/a

Shelf Life:

Unit Of Measure:

NSN 5305-01-338-0918

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0