## NSN 5305-01-338-3139

Close Tolerance Screw - Page 1 of 2

3a

32

Unjf

N/a

---

View Online at https://aerobasegroup.com/nsn/5305-01-338-3139



## **Thread Class: Thread Direction: Right-hand Thread Length:** Between 0.326 inches and 0.388 inches Fastener Length: Between 0.561 inches and 0.591 inches **Head Style:** Flat countersunk **Head Diameter:** 0.083 inches **Grip Diameter:** Between 0.1885 inches and 0.1895 inches Internal Drive Style: Torque-set ribbed **Thread Diameter:** 0.190 inches Grip Length: Between 0.178 inches and 0.198 inches Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 160000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Navy special project Material: Titanium alloy uns r56400 **Material Specification:** Ams 4928 assn standard single material response or ams 4967 assn standard single material response Surface Treatment: Aluminum **Thread Series Designator: Specification Data:** 80205-nas1790 professional/industrial association standard Shelf Life: Unit Of Measure:

## NSN 5305-01-338-3139

Close Tolerance Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

