## NSN 5305-01-338-4037

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-338-4037

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.323 inches
Fastener Length:
Between 0.496 inches and 0.526 inches
Head Style: Pan
Head Diameter:
Between 0.357 inches and 0.373 inches
Head Height: Between 0.122 inches and 0.133 inches
Grip Diameter: Between 0.1885 inches and 0.1895 inches
Internal Drive Style:
Cross recess type 1 Thread Diameter:
0.190 inches
Grip Length:
Between 0.178 inches and 0.188 inches
Thready Qty Per Inch (tpi):
32 Min. Tanaila Strongth (nai):
Min. Tensile Strength (psi):
160000 pounds per square inch
Material:
Titanium alloy uns r56400
Material Specification:
Ams4928 assn standard single material response or ams4967 assn standard single
Surface Treatment:
Surface Treatment Specification:
Nas4006 assn standard single treatment response
Thread Series Designator:
Unjf
Specification Data:
80205-nas7903 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:

material response

## NSN 5305-01-338-4037

Close Tolerance Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

