## NSN 5305-01-338-7093

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-338-7093 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.484 inches and 0.578 inches **Fastener Length:** Between 0.546 inches and 0.578 inches **Head Style:** Hexagon **Head Height:** Between 0.105 inches and 0.120 inches Width Between Flats: Between 0.305 inches and 0.314 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 **Screw Material:** Titanium alloy uns r56400 **Screw Material Specification:** Ams4928 assn standard single material response or ams4967 assn standard single material response **Screw Surface Treatment:** Phosphate **Screw Surface Treatment Specification:** Bac 5861, cagec 81205 mfr ref single treatment response **Bearing Surface Of Head Surface Finish:** 63.0 microinches **Thread Surface Finish:** 32.0 microinches **Special Features:** Surface treatment contains fluoride **Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5305-01-338-7093

Machine Screw - Page 2 of 2



Fiig:

A500d0