NSN 5305-01-338-7095



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-338-7095 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.256 inches **Fastener Length:** Between 0.344 inches and 0.375 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.231 inches and 0.279 inches **Internal Drive Style:** Torque set **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Navy special project **Screw Material:** Titanium alloy uns r56400 **Screw Material Specification:** Ams 4967 assn standard single material response **Bearing Surface Of Head Surface Finish:** 32.0 microinches **Shank Surface Finish:** 32.0 microinches **Thread Surface Finish:** 32.0 microinches **Thread Series Designator:** Unjc **Specification Data:** 80205-nas1102 professional/industrial association standard

N/a **Unit Of Measure:**

Shelf Life:

NSN 5305-01-338-7095

Machine Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A500d0