

View Online at <https://aerobasegroup.com/nsn/5305-01-339-8434>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.235 inches and 0.265 inches

Fastener Length:

0.625 inches

Head Style:

Hexagon

Head Height:

0.237 inches

Width Between Flats:

Between 0.105 inches and 0.120 inches

Internal Drive Style:

Slot

Material Accommodated Thickness:

0.125 inches

Thread Diameter:

0.190 inches

Thready Qty Per Inch (tpi):

32

Hardness Rating:

35.0 rockwell c primary washer and 45.0 rockwell c primary washer

Material:

Steel comp 301 secondary washer or steel comp 302 secondary washer steel comp 301 primary washer or steel comp 302 primary washer or steel comp 302b primary washer or steel comp 303 primary washer or steel comp 303se primary washer or steel comp 304 primary washer or steel comp 304l primary washer or steel comp 305 primary washer or steel comp 308 primary washer or steel comp 309 primary washer or steel comp 309s primary washer or steel comp 310 primary washer or steel comp 310s primary washer or steel comp 314 primary washer or steel comp 316 primary washer or steel comp 316l primary washer or steel comp 317 primary washer or steel comp 321 primary washer or steel comp 347 primary washer or steel comp 348 primary washer or steel comp 384 primary washer or steel comp 385 primary washer aluminum alloy 7075 stand-off steel comp 301 fastener or steel comp 302 fastener or steel comp 302b fastener or steel comp 303 fastener or steel comp 303se fastener or steel comp 304 fastener or steel comp 304l fastener or steel comp 305 fastener or steel comp 308 fastener or steel comp 309 fastener or steel comp 309s fastener or steel comp 310 fastener or steel comp 310s fastener or steel comp 314 fastener or steel comp 316 fastener or steel comp 316l fastener or steel comp 317 fastener or steel comp 321 fastener or steel comp 347 fastener or steel comp 348 fastener or steel comp 384 fastener or steel comp 385 fastener

Material Specification:

Mil-s-5059 military specification all material responses secondary washer qq-a-225/8 t6 federal specification single material response stand-off

Surface Treatment:

Passivate secondary washer passivate primary washer anodize stand-off passivate fastener

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response secondary washer qq-p-35 federal specification single treatment response primary washer mil-a-8625 type 1, cl 1 military specification single treatment response stand-off qq-p-35 federal specification single treatment response fastener

Mil-std (military Standard):

Mil-s-5059 spec.