NSN 5305-01-343-2612

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-343-2612

view Online at https://aerobasegroup.com/nsn/5505-01-545-2612
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 0.710 inches and 0.790 inches
Fastener Length:
1.250 inches
Head Style:
Flat chamfer
Head Diameter:
0.500 inches
Head Height:
Between 0.740 inches and 0.760 inches
Internal Drive Style:
Slot
Thread Diameter:
0.312 inches
Thready Qty Per Inch (tpi):
18
Criticality Code Justification:
Zzzy
Screw Material:
Steel comp 12l14
Screw Material Specification:
Aisi assn standard single material response
Screw Surface Treatment:
Zinc and chromate
Screw Surface Treatment Specification:
Astm b633 type 2 assn standard single treatment response
Special Features:
Flat countersunk hole in top of head 0.620 in. Min 0.650 in. Maximum depth of hole
Special Test Features:
Special quality control testing
Test Data Document:
81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unc
Peteronce Number Differentiating Characteristics

As differentiated by material which must conform to ships parts control center special quality control provisions

N/a

Shelf Life:

NSN 5305-01-343-2612

Machine Screw - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A500d0